FORMarTO-1-49/A and B (Modified)

Sheet

INFORMATION DISCLOSURE STATE OF BY APPLICANT

ATTY. DOCKET NO.: C1041 7010

FILING DATE: March 2, 2001

APPLICATION NO.: 09 786.436

APPLICANT: Wagner et al.

GROUP ART UNIT: tinknown 1635

EXAMINER: unknown

U.S. PATENT DOCUMENTS

Examiner's	Cite-	TRACE U.S. Patent Document		Name of Patentee or Applicant of Cited	Date of Publication or of issue
Initials#	No.	Number	Kind Code	Document	of Cited Document MM-DD-YYYY
0V	Al	5,567,604		Rando et al.	10-22-1996
	A2	5,663,153		Hutcherson et al.	09-02-1997
	A3	5,723,335		Hutcherson et al.	03-03-1998
	A4	6,013,639		Peyman et al.	01-11-2000
	A5	6,121,434		Peyman et al.	09-19-2000
	A6	6,194,388	B1	Krieg et al.	02-27-2001
	A7	6,207,646	B1	Krieg et al.	03-27-2001
	A8	6,214,806	B1	Krieg et al.	04-10-2001
	A9	6,218,371	B1	Krieg et al.	04-17-2001
L'N	A 10	6,239,116	B1	Krieg et al.	05-29-2001

FOREIGN PATENT DOCUMENTS

Evaminau's	Cite	Foreign Patent Document			Name of Patentee or Applicant of Cited	Date of Publication of	Tunnalation
Examiner's Initials#	No.	Office/ Country	Number	Kind Code	Document (not necessary)	Cited Document MM-DD-YYYY	Translation (Y/N)
B.V	Bl	WIPO	WO94/29469	A2	- X -	12-22-1994	
i	B2	WIPO	WO96/24380	A1		08-15-1996	
	В3	WIPO	WO97/00957	A1		01-09-1997	
10 V	B4	WIPO	WO98/29430	A1		07-09-1998	
	-B5	WIPO	WO98/32462	_A1		07-30-1998	
BV	В6	WIPO	WO98/37919	ΑÏ		09-03-1998	
	B7	WIPO	WO98/40100	A1		09-17-1998	
	B8	WIPO	WO98/52581	A1		11-26-1998	
	B9	WIPO	WO99/51259	A2		10-14-1999	
	B10	WIPO	WO99/56755	Αl		11-11-1999	
	Bil	WIPO	WO99/58118	A2		11-18-1999	
	B12	WIPO	WO99 61056	A2		12-02-1999	
	B13	WIPO	WO00 06588	A1		02-10-2000	
	B14	WIPO	WO00/14217	A2		03-16-2000	
52	B15	WIPO	WO00 67023	Αl		11-09-2000	

OTHER ART — NON PATENT LITERATURE DOCUMENTS

Examiner's Initials#	Cite No	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s), publisher, city and/or country where published.	Translation (Y/N)
0,0	Cl	ANDERSON WF, Human gene therapy. Science. 1992 May 8;256(5058):808-13.	
	C2	BALLAS Z et al., Induction of NK activity in murine and human cells by CpG motifs in oligodeoxynucleotides and bacterial DNA. <i>J Immunol.</i> 1996 Sep 1:157(5):1840-5.	
i,p	С3	BENIMETSKAYA L et al., Formation of a G-tetrad and higher order structures correlates with biological activity of the RelA (NF-kappaB p65) 'antisense' oligodeoxynucleotide. <i>Nucleic Acids Res.</i> 1997 Jul 1;25(13):2648-56.	

524093.1 Form in literar

71713

FORM PTO-1449/A and B (Modified)	APPLICATION NO.: 09 786,436	ATTY. DOCKET NO.: C1041 7010
INFORMATION DISCLOSURE	FILING DATE: March 2, 2001	
STATEMENT BY APPLICANT	APPLICANT: Wagner et al.	
Sheet 2 2 of 4	GROUP ART UNIT: unknown 635	EXAMINER: unknown

13		1022
	by	BENIMETSKAYA L et al., Mac-1 (CD11b/CD18) is an oligodeoxynucleotide-binding protein. <i>Nat Med.</i> 1997 Apr;3(4) 414-20. BISHOP IS et al., Intramolecular Grauertet motifs confer nuclease registeres to a potent one HIV.
[Chr	1, 13,00	BENIMETSKAYA L et al., Mac-1 (CD11b/CD18) is an oligodeoxynucleotide-binding protein. <i>Nat</i>
1 - 1		Med. 1997 Apr;3(4) 414-20.
	C5	BISHOP JS et al., Intramolecular G-quartet motifs confer nuclease resistance to a potent anti-HIV
† 1	(3)	oligonucleotide J Biol Chem. 1996 Mar 8;271(10):5698-703.
	i	BURGESS TL et al., The antiproliferative activity of c-myb and c-myc antisense oligonucleotides
1	C6	in smooth muscle cells is caused by a nonantisense mechanism. <i>Proc Natl Acad Sci U S A</i> . 1995
. 1		Apr 25:92(9):4051-5.
		CHACE JH et al., Bacterial DNA-induced NK cell IFN-gamma production is dependent on
	C7	
	1	macrophage secretion of IL-12. Clin Immunol Immunopathol. 1997 Aug;84(2) 185-93.
,	C8	COWDERY JS et al., Bacterial DNA induces NK cells to produce IFN-gamma in vivo and
		increases the toxicity of lipopolysaccharides. <i>J Immunol</i> . 1996 Jun 15:156(12):4570-5.
\	C9	EIGLER A et al., Taming TNF: strategies to restrain this proinflammatory cytokine. <i>Immunol</i>
		Today. 1997 Oct;18(10):487-92.
	010	FEARON DT et al., The instructive role of innate immunity in the acquired immune response.
	C10	Science. 1996 Apr 5,272(5258) 50-3.
		FINNAN JL et al., Development in the phosphite-triester method of synthesis of oligonucleotides.
	CH	Nucleic Acids Symp Ser. 1980;(7) 133-45.
	1	GIORDANO FJ et al., Intracoronary gene transfer of fibroblast growth factor-5 increases blood
	C12	
		flow and contractile function in an ischemic region of the heart. Nat Med. 1996 May, 2(5):534-9.
	C13	HALPERN MD et al., Bacterial DNA induces murine interferon-gamma production by stimulation
	1	of interleukin-12 and tumor necrosis factor-alpha. Cell Immunol. 1996 Jan 10;167(1) 72-8.
	C14	HALPERN MD et al., In vitro inhibition of murine IFN gamma production by phosphorothioate
	C14	deoxyguanosine oligomers. <i>Immunopharmacology</i> . 1995 Feb;29(1):47-52.
		HERTL M et al., Inhibition of interferon-gamma-induced intercellular adhesion molecule-1
į.		expression on human keratinocytes by phosphorothioate antisense oligodeoxynucleotides is the
	C15	consequence of antisense-specific and antisense-non-specific effects. J Invest Dermatol. 1995
		May; 104(5):813-8.
	C16	ISNER JM et al., Clinical evidence of angiogenesis after arterial gene transfer of phVEGF165 in
	<u> </u>	patient with ischaemic limb. Lancet. 1996 Aug 10;348(9024) 370-4.
		KIMURA Y et al., Binding of oligoguanylate to scavenger receptors is required for
	C17	oligonucleotides to augment NK cell activity and induce IFN. J Biochem (Tokyo). 1994
j		Nov;116(5) 991-4.
	C10	KRIEG AM et al., CpG motifs in bacterial DNA trigger direct B-cell activation. <i>Nature</i> . 1995 Apr
	C18	6;374(6522):546-9.
		KRIEG AM et al., Sequence motifs in adenoviral DNA block immune activation by stimulatory
	C19	CpG motifs Proc Natl Acad Sci U S A. 1998 Oct 13;95(21):12631-6.
 	+	KRIEG AM et al., The role of CpG dinucleotides in DNA vaccines. <i>Trends Microbiol</i> . 1998
	C20	
,		Jan;6(1):23-7.
		KRIEG AM, Leukocyte stimulation by oligodeoxynucleotides, ln: Stein CA & Krieg AM, eds.,
	C21	Applied Antisense Oligonucleotide Technology, Wiley-Liss, New York, 1998, Chapter 24, pp.
,	<u></u>	431-48.
-	. (222	KRIEGER M et al Structures and functions of multiligand lipoprotein receptors: macrophage
	C22	scavenger receptors and LDL receptor-related protein (LRP). Annu Rev Biochem. 1994;63:601-37.
		LANG R et al., Guanosine-rich oligodeoxynucleotides induce proliferation of macrophage
1	_ C23	progenitors in cultures of murine bone marrow cells. Eur J Immunol. 1999 Nov;29(11):3496-506.
	1	LEE PP et al., An oligonucleotide blocks interferon-gamma signal transduction. <i>Transplantation</i> .
	C24	
		1996 Nov 15;62(9):1297-301.
10%	C25	LIANG H et al., Activation of human B cells by phosphorothioate oligodeoxynucleotides. J Clin
10		Invest. 1996 Sep 1;98(5):1119-29

Fran 2 Human

217/07

FORM	PTO-	1449/A	and	В	(Modified)
------	------	--------	-----	---	------------

INEOBMATION DISCLOSURE STATEMENT BY APPLICANT

APPLICATION NO.: 09 786,436	ATTY. DOCKET NO.: C1041 7010
FILING DATE: March 2, 2001	
	

APPLICANT: Wagner et al.

GROUP ART UNIT: unknown. 1635

EXAMINER: unknown

72.		5 01 4
Dh.		o ^d
7. 7.8 M	PADENTO	LIPFORD GB et al., Immunostimulatory DNA: sequence-dependent production of potentially
13/m	C26	harmful or useful cytokines Eur J Immunol. 1997 Dec;27(12):3420-6.
<u> </u>		MACAYA RF et al., Thrombin-binding DNA aptamer forms a unimolecular quadruplex structure
C27		
		in solution. <i>Proc Natl Acad Sci U S A</i> . 1993 Apr 15;90(8):3745-9.
		MACFARLANE DE et al., Unmethylated CpG-containing oligodeoxynucleotides inhibit apoptosis
C28		in WEHI 231 B lymphocytes induced by several agents: evidence for blockade of apoptosis at a
	-	distal signalling step. Immunology. 1997 Aug;91(4):586-93.
1	C29	MEDZHITOV R et al., Innate immunity impact on the adaptive immune response. Curr Opin
	C 2.9	<i>Immunol</i> . 1997 Feb;9(1) 4-9.
		MESSINA JP et al., The influence of DNA structure on the in vitro stimulation of murine
1	C30	lymphocytes by natural and synthetic polynucleotide antigens. Cell Immunol. 1993
1		Mar;147(1):148-57.
<u> </u>		MOSMANN TR et al., The expanding universe of T-cell subsets: Th1, Th2 and more. Immunol
1	C31	
-	-	Today. 1996 Mar; 17(3): 138-46.
	C32	MUHLHAUSER J et al., VEGF165 expressed by a replication-deficient recombinant adenovirus
	-	vector induces angiogenesis in vivo. Circ Res. 1995 Dec;77(6):1077-86.
1	C33	PAUL WE, Pleiotropy and redundancy: T cell-derived lymphokines in the immune response. Cell.
	C 3.7	1989 May 19;57(4) 521-4.
634		PISETSKY DS et al., Stimulation of in vitro proliferation of murine lymphocytes by synthetic
-	C34	oligodeoxynucleotides. Mol Biol Rep. 1993 Oct;18(3):217-21.
		PISETSKY DS, The influence of base sequence on the immunostimulatory properties of DNA.
1	C35	Immunol Res. 1999;19(1):35-46.
		RAMANATHAN M et al., Characterization of the oligodeoxynucleotide-mediated inhibition of
- 1	C36	interferon-gamma-induced major histocompatibility complex class I and intercellular adhesion
1	0.30	
		molecule-1. J Biol Chem. 1994 Oct 7;269(40):24564-74.
	637	RAMANATHAN M et al., Inhibition of interferon-gamma-induced major histocompatibility
ł	C37	complex class I expression by certain oligodeoxynucleotides. Transplantation. 1994 Feb
-	1	27;57(4):612-5
	C38	ROMAN M et al., Immunostimulatory DNA sequences function as T helper-1-promoting
		adjuvants. Nat Med. 1997 Aug. 3(8):849-54.
- 1	C39	SATO Y et al., Immunostimulatory DNA sequences necessary for effective intradermal gene
	C39	immunization. Science. 1996 Jul 19;273(5273):352-4.
	G.10	SCHAPER W et al., Molecular mechanisms of coronary collateral vessel growth. Circ Res. 1996
	C40	Nov;79(5) 911-9.
		SCHAPER W et al., Therapeutic targets in cardiovascular disorders. Curr Opin Biotechnol. 1996
	C41	Dec:7(6):635-40.
 		SPARWASSER T et al., Bacterial DNA and immunostimulatory CpG oligonucleotides trigger
	C42	maturation and activation of murine dendritic cells. Eur J Immunol. 1998 Jun;28(6):2045-54.
		
1	C43	SPARWASSER T et al., Macrophages sense pathogens via DNA motifs: induction of tumor
		necrosis factor-alpha-mediated shock. Eur J Immunol. 1997 Jul;27(7) 1671-9.
Ì	C44	SPARWASSWER T et al., Bacterial DNA causes septic shock. <i>Nature</i> . 1997 Mar
\perp	\ 	27;386(6623):336-7.
	C 15	STACEY KJ et al., Macrophages ingest and are activated by bacterial DNA. J Immunol. 1996 Sep
1	C45	1;157(5):2116-22.
1	1	TREMBLEAU S et al., The role of IL-12 in the induction of organ-specific autoimmune diseases.
	C46	Immunol Today. 1995 Aug;16(8):383-6.
	C17	
- 1	C47	WANG Q et al., Second-generation adenovirus vectors. <i>Nat Med.</i> 1996 Jun;2(6):714-6.
P~	C48	WLOCH MK et al., The influence of DNA sequence on the immunostimulatory properties of
r Y		plasmid DNA vectors. Hum Gene Ther. 1998 Jul 1;9(10):1439-47.

Prin dellina

317103

ORM PTO)-1449/A	and B (Modified)	APPLICATION NO.: 09:786.436	ATTY. DOCKET NO.: C1041 7010
		TION DISCLOSURE	FILING DATE: March 2, 2001	
STA	TEME	BY APPLICANT	APPLICANT: Wagner et al.	
nee 311	0 8 20	a a of t	GROUP ART UNIT - unknown 635	EXAMINER: unknown
A.	,	THE STATE OF THE S		
PV	C49		orially selected guanosine-quartet structure as envelope-mediated cell fusion. <i>Proc Natl</i>	
	C50		unism of oligonucleotide uptake by cells: in USA. 1989 Sep;86(17):6454-8.	volvement of specific
-	C51	YAMAMOTO S et al., In vita	ro augmentation of natural killer cell activit nma with deoxyribonucleic acid fraction fro	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	C52		sequence of thioated oligonucleotides on co	ultured human mammary
KAMINEI	R	21/	DATE CONSIDERED	
_4>7	Will !	Littera	317/07	

#EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered Include copy of this form with next communication to applicant.

[NOTE - Must provide a copy of any patent, publication, other information listed, even if it was previously submitted to, or cited by, the U.S. Patent Office in an earlier application, unless the earlier application is identified by the IDS and is relied upon for an earlier filing date under 35 U.S.C. §120, and the copy was provided in the earlier application.]

FORMS (O-1449 A and B (Modified)	APPLICATION NO.: 09:786.436	ATTY, DOCKET NO.: C1041 7010
INFORMATION DISCLOSURE	FILING DATE: March 2, 2001	
STATEMENT BY APPLICANT	APPLICANT Wagner et al.	
Sheet	GROUP ART UNIT: unknown (63)	EXAMINER: unknown

Examiner's	DEMARK	U.S. Patent Doc	ument	Name of Patentee or Applicant of Cited	Date of Publication or of issue
Initials#	No.	Number	Kind Code	Document	of Cited Document MM-DD-YYYY
					
				·	
••					

FOREIGN PATENT DOCUMENTS Date of Foreign Patent Document Name of Patentee or Applicant of Cited Examiner's Cite Translation Publication of Document Office/ Initials# Kind Cited Document No. Number (Y/N)(not necessary) Country Code MM-DD-YYYY

OTHER ART — NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the Cite Examiner's Translation item (book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue No Initials# (Y/N) number(s), publisher, city and/or country where published. DAPIC V et al., Antiproliferative activity of G-quartet forming oligonucleotides with backbone sugar C53 modifications. Proc AACR. 2001 Mar;42; published online 2001 Feb 27 (ABSTRACT). GOODMAN MG, Mechanism of synergy between T cell signals and C8-substituted guanine C54 nucleosides in humoral immunity: B lymphotropic cytokines induce responsiveness to 8mercaptoguanosine. J Immunol. 1986 May 1;136(9):3335-40. KATAOKA T et al., Antitumor activity of synthetic oligonucleotides with sequences from cDNA C55 encoding proteins of Mycobacterium bovis BCG. Jpn J Cancer Res. 1992 Mar;83(3):244-7. KRIEG AM et al., Oligodeoxynucleotide modifications determine the magnitude of B cell C56 stimulation by CpG motifs. Antisense Nucleic Acid Drug Dev. 1996 Summer;6(2):133-9. KRIEG AM et al., Phosphorothioate oligodeoxynucleotides: antisense or anti-protein? Antisense Res C57 Dev. 1995 Winter;5(4):241. KRIEG AM. An innate immune defense mechanism based on the recognition of CpG motifs in C58 microbial DNA. J Lab Clin Med. 1996 Aug;128(2):128-33. McINTYRE KW et al., A sense phosphorothioate oligonucleotide directed to the initiation codon of C59 transcription factor NF-kappa B p65 causes sequence-specific immune stimulation. Antisense Res Dev. 1993 Winter;3(4):309-22. MESSINA JP et al., Stimulation of in vitro murine lymphocyte proliferation by bacterial DNA. J C60 Immunol. 1991 Sep 15;147(6):1759-64. SUN S et al., Mitogenicity of DNA from different organisms for murine B cells. J Immunol. 1997 C61 Oct 1;159(7):3119-25. TOKUNAGA T et al., Synthetic oligonucleotides with particular base sequences from the cDNA C62 encoding proteins of Mycobacterium boyis BCG induce interferons and activate natural killer cells. Microbiol Immunol, 1992;36(1):55-66.

	SIDERED
Mur h haten	<i>3/7/6</i> 7

FORM L-10-1449 A and B (Modified)	APPLICATION NO.: 09/786,436	ATTY, DOCKET NO.: C1041 7010
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: March 2, 2001	
	APPLICANT: Wagner et al.	
Sheet 2 of 2	GROUP ART UNIT: unknown	EXAMINER: unknown

#EXAMINER. Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered Include copy of this form with next communication to applicant.

NOTE - Must provide a copy of any patent, publication, other information listed, even if it was previously submitted to, or cited by, the U.S. Patent Office in an earlier application, unless the earlier application is identified by the IDS and is relied upon for an earlier filing date under 35 U.S.C. §120, and the copy was provided in the earlier application.]

